616 742 1010 P.02/20

## APR 10 2006

Serial No. Filed:

10/708,388

02/27/2004

Examiner: Group Art Unit: Pranav V. Khatri

2872

Page 2 of 20

## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

A vehicular rearview mirror assembly, comprising: 1. (Currently Amended)

a base assembly adapted for mounting the rearview mirror assembly to a vehicle, said base assembly including an extension arm extending therefrom;

a reflective element disposed in a reflective element assembly, said reflective element assembly attaching to the extension arm and moveable along the extension arm for providing an occupant operator of the vehicle with a rearward view when the vehicle is towing a trailer; and

wherein the reflective element assembly is slidably movable along the extension arm via a plurality of low friction bearings interposed between the extension arm and the reflective element assembly for facilitating movement of the reflective element assembly relative to the base assembly extension arm;

said plurality of low friction bearings comprising at least one of a ball bearing and a roller bearing.

- 2. (Previously Presented) A rearview mirror assembly according to claim 1, wherein the plurality of low friction bearings comprises a ball bearing.
- A rearview mirror assembly according to claim 1, wherein 3. (Previously Presented) the plurality of low friction bearings comprises a roller bearing.
- A rearview mirror assembly according to claim 1, wherein 4. (Currently Amended) the reflective element assembly further comprises a mounting frame attached to the

Serial No. Filed:

10/708,388 02/27/2004

Examiner:
Group Art Unit:

Pranav V. Khatri

up Art Unit: 2872

Page 3 of 20

reflective element, and the plurality of low friction bearings is interposed between the extension arm and the mounting frame for facilitating the movement of the mounting frame relative to the base assembly.

- 5. (Previously Presented) A rearview mirror assembly according to claim 4, wherein the plurality of low friction bearings comprises a ball bearing.
- 6. (Previously Presented) A rearview mirror assembly according to claim 4, wherein the plurality of low friction bearings comprises a roller bearing.
- 7. (Currently Amended) A rearview mirror assembly according to claim 1, wherein the base assembly extension arm is connected to the base assembly by a moveable connection and the plurality of low friction bearings is interposed between the extension arm and the base frame for facilitating the movement of the extension arm relative to the base frame.
- 8. (Previously Presented) A rearview mirror assembly according to claim 7, wherein the plurality of low friction bearings comprises a ball bearing.
- 9. (Previously Presented) A rearview mirror assembly according to claim 7, wherein the plurality of low friction bearings comprises a roller bearing.
- 10. (Currently Amended) A rearview mirror assembly according to claim 7, wherein the moveable connection comprises a pivot connection, and the base assembly comprises parallel spaced-apart flanges, and the extension arm is interposed between the parallel flanges to form the pivot connection.
- 11. (Previously Presented) A rearview mirror assembly according to claim 10, wherein the plurality of low friction bearings is interposed between the extension arm and the parallel flanges.

Serial No. Filed: 10/708,388 02/27/2004

Examiner:

Pranav V. Khatri

Group Art Unit: 2872

Page 4 of 20

12. (Previously Presented) A rearview mirror assembly according to claim 11, wherein the plurality of low friction bearings comprises a ball bearing.

- 13. (Previously Presented) A rearview mirror assembly according to claim 11, wherein the plurality of low friction bearings comprises a roller bearing.
- 14. (Currently Amended) A vehicular rearview mirror assembly, comprising:

a reflective element assembly mounted to comprising a mounting frame for providing an occupant of the vehicle with a rearward view;

an extension arm mounted to a vehicle and <u>said reflective element assembly</u> moveably attached to the <u>extension armreflective element assembly</u>; and

a plurality of low friction bearings interposed between the mounting frame and the extension arm for facilitating movement translation of the reflective element assembly relative to along the extension arm.

- 15. (Previously Presented) A rearview mirror assembly according to claim 14, wherein the plurality of low friction bearings comprises a ball bearing.
- 16. (Previously Presented) A rearview mirror assembly according to claim 14, wherein the plurality of low friction bearings comprises a roller bearing.
- 17. (Currently Amended) A vehicular rearview mirror assembly, comprising:

a base assembly comprising a base frame for mounting the rearview mirror assembly to a vehicle;

at least one support arm for supporting a reflective element <u>assembly</u>, <u>said at least</u>
one support armand moveably connected to the base frame for selectively folding the
reflective element <u>assembly</u> against the vehicle, <u>said reflective element assembly</u>

Serial No. Filed:

Page 5 of 20

10/708,388 02/27/2004 Examiner:

Pranav V. Khatri

Group Art Unit:

2872

moveably attached to the support arm for and extending the reflective element assembly away from the vehicle; and

a plurality of low friction bearings interposed between the <u>reflective element</u> assembly base frame and the at least one support arm for facilitating movement of the reflective element assembly relative to the vehicle.

- 18. (Previously Presented) A rearview mirror assembly according to claim 17, wherein the plurality of low friction bearings comprises a ball bearing.
- 19. (Previously Presented) A rearview mirror assembly according to claim 17, wherein the plurality of low friction bearings comprises a roller bearing.
- 20. (Previously Presented) A rearview mirror assembly according to claim 17, wherein the moveable connection comprises a pivot connection, the base frame comprises parallel spaced-apart flanges, and the at least one support arm is interposed between the parallel flanges to form the pivot connection.
- 21. (Previously Presented) A rearview mirror assembly according to claim 20, wherein the plurality of low friction bearings is interposed between the at least one arm and the parallel flanges.
- 22. (Previously Presented) A rearview mirror assembly according to claim 21, wherein the plurality of low friction bearings comprises a ball bearing.
- 23. (Previously Presented) A rearview mirror assembly according to claim 21, wherein the plurality of low friction bearings comprises a roller bearing.
- 24. (Currently Amended) A vehicular rearview mirror assembly, comprising:
- a base assembly comprising a base frame for mounting the rearview mirror assembly to a vehicle;

Serial No.

10/708,388

Examiner:

Pranav V. Khatri

Filed:

02/27/2004 Group Art Unit: Page 6 of 20

2872

at least one support arm for supporting a reflective element assembly and pivotably connected to the base frame for selectively folding the reflective element assembly against the vehicle, such reflective element assembly moveably attached to the support arm for and extending the reflective element assembly away from the vehicle; and

a pair of parallel spaced-apart flanges, wherein the at least one support arm is interposed between the parallel flanges to form the pivot connection.

- 25. (Original) A rearview mirror assembly according to claim 24, wherein the pivot connection comprises a ball bearing.
- 26. (Original) A rearview mirror assembly according to claim 24, wherein the pivot connection comprises a roller bearing.